ELSEVIER

Forest Ecology and Management 172 (2003) 373–374

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 172

VOLUME 172, ISSUE 1 **6 JANUARY 2003**

A quantitative framework for evaluating the mass balance of in-stream organic debris
L.E. Benda (Seattle, WA, USA) and J.C. Sias (Seattle, WA, USA) 1
Regional synchroneity in fire regimes of western Oregon and Washington, USA
P.J. Weisberg and F.J. Swanson (Corvallis, OR, USA) 17
Systematic review of yield responses of four North American conifers to forest tree improvement practices
P.F. Newton (Ont., Canada) 29
Criteria for comparing the adaptability of forest growth models
A.P. Robinson (Moscow, ID, USA) and R.A. Monserud (Portland, OR, USA) 53
Modeling stem profiles for *Pinus densiflora* in Korea
W.-K. Lee (Seoul, South Korea), J.-H. Seo (Goettingen, Germany), Y.-M. Son, K.-H. Lee (Seoul, South Korea) and
K. von Gadow (Goettingen, Germany) 69
Image analysis measure of crown condition, foliage biomass and stem growth relationships of *Chamaecyparis obtusa*
N. Mizoue (Miyazaki, Japan) and T. Masutani (Fujisawa, Japan) 79
Drawing ecological insights from a management-oriented forest inventory in French Guiana
P. Couteron, R. Pélissier (Montpellier, France), D. Mapaga (Libreville, Gabon), J.-F. Molino (Montpellier, France) and
L. Teillier (Libreville, Gabon) 89
A percentile based basal area diameter distribution model for predicting the stand development of *Pinus kesiya* plantations in Zambia and Zimbabwe
K. Eerikäinen and M. Maltamo (Joensuu, Finland) 109

Book review 125

Guide for Authors 127

VOLUME 172, ISSUES 2–3 **20 JANUARY 2003**

Dynamics of artificial regeneration in gaps within a longleaf pine flatwoods ecosystem
J.L. Gagnon (Newton, GA, USA), E.J. Jokela (Gainesville, FL, USA), W.K. Moser (Columbia, MO, USA) and
D.A. Huber (Gainesville, FL, USA) 133
Genetic variation in foliar carbon isotope composition in relation to tree growth and foliar nitrogen concentration in clones of the F_1 hybrid between slash pine and Caribbean pine
N.V. Prasolova (Nathan, Australia), Z.H. Xu (Indooroopilly, Australia), K. Lundkvist (Uppsala, Sweden),
G.D. Farquhar (Canberra, Australia), M.J. Dieters, S. Walker (Indooroopilly, Australia)
and P.G. Saffigna (Nathan, Australia and Gatton, Australia) 145
A study of the effect of logging on the understorey light environment in riparian buffer strips in a south-east Australian forest
P. Dignan (Heidelberg, Australia) and L. Bren (Creswick, Australia) 161
Within-yard habitat use by white-tailed deer at varying winter severity
S.F. Morrison, G.J. Forbes (Fredericton, Canada), S.J. Young (Edmundston, Canada) and S. Lusk (Fredericton, Canada) 173
Pioneer and climax tree regeneration following selective logging with silviculture in Suriname
M. Dekker and N.R. de Graaf (Wageningen, The Netherlands) 183

PII: S0378-1127(02)00593-5

Models of potential height and diameter for *Eucalyptus globulus* in Portugal
D.D. Reed, E.A. Jones (Houghton, MI, USA), M. Tomé (Lisboa Codex, Portugal) and M.C. Araújo (Obidos, Portugal) 191
Performance of the forest productivity model 3-PG applied to a wide range of forest types
J.J. Landsberg (Canberra, Australia), R.H. Waring (Corvallis, OR, USA) and N.C. Coops (Clayton, Australia) 199
Crown and stand characteristics of *Eucalyptus nitens* in response to initial spacing: implications for thinning
E.A. Pinkard and W.A. Neilsen (Hobart, Australia) 215
Sustainable forestry in the tropics: panacea or folly?
D. Pearce (London, UK), F.E. Putz (Gainsville, FL, USA) and J.K. Vanclay (Lismore, Australia) 229
Below ground CO_2 efflux from cut blocks of varying ages in sub-boreal British Columbia
T.G. Pypker and A.L. Fredeen (Prince George, Canada) 249
Family influences on leaf area estimates derived from crown and tree dimensions in *Pinus taeda*
S.D. Roberts (Mississippi State, MS, USA), T.J. Dean (Baton Rouge, LA, USA) and D.L. Evans (Mississippi State, MS, USA). 261
Structure, production and resource use in some old-growth spruce/fir forests in the Front Range of the Rocky Mountains, USA
D. Binkley, U. Olsson, R. Rochelle, T. Stohlgren (Ft. Collins, CO, USA) and N. Nikolov (Oak Ridge, TN, USA) 271
Growth response of longleaf pine (*Pinus palustris* Mill.) seedlings to fertilization and herbaceous weed control in an old field in southern USA
C.L. Ramsey, S. Jose (Milton, FL, USA), B.J. Brecke (Jay, FL, USA) and S. Merritt (Milton, FL, USA). 281
Even- to uneven-aged: the challenges of conversion
R.D. Nyland (Syracuse, NY, USA). 291
Nesting and nest trees of stingless bees (Apidae: Meliponini) in lowland dipterocarp forests in Sabah, Malaysia, with implications for forest management
T. Eltz, C.A. Brühl (Würzburg, Germany), Z. Imiyabir (Sabah, Malaysia) and K. Eduard Linsenmair (Würzburg, Germany). 301
Dissolved organic carbon in precipitation, throughfall, stemflow, soil solution, and stream water at the Guandaushi subtropical forest in Taiwan
C.P. Liu (Taipei, Taiwan) and B.H. Sheu (Taichung, Taiwan) 315
Do admixed broadleaves improve foliar nutrient status of conifer tree crops?
A. Rothe (Freising, Germany), J. Ewald and D.E. Hibbs (Corvallis, OR, USA). 327
Short-term responses of soil macroarthropod community to clear felling and alternative forest regeneration methods
A. Siira-Pietikäinen (Vantaa, Finland and Jyväskylä, Finland), J. Haimi (Jyväskylä, Finland) and J. Siitonen (Vantaa, Finland) 339
Water balance and water potentials of a monoculture and an enrichment plantation of *Carapa guianensis* Aubl. in the Central Amazon
O. Dünisch, M. Erbreich and T. Eilers (Hamburg, Germany) 355

Book reviews 369

Erratum 371

Contents of *Forest Ecology and Management*, Volume 172 373